

Icare-U, Artec-Time SA
Rue de la Gare 17, CH-2022,
Bevaix, Switzerland
Contact: +41 79 754 5455
info@artec-time.ch

Avoid contact

Icare-U Induction Sanitizer Dispenser



0.25秒出液
0.25min Swift water



自动感应
Automatic induction



静音减震
Vibration reduction



0.25秒出液
Smooth discharge



USB充电
USB charging



免接触
Contact-free

Icare-U Induction Sanitizer Dispenser

Certificat:

With SGS CE certificate and FCC

Test standards:

EN55014-1:2017

EN IEC 61000-3-2:2019

EN 61000-3-3:2013-2:2019

EN 55014-2:2015

Product Description:

Material: ABS+PC

Model: NO.8829

Size: 12.5x10.7x26cm

Charging method: USB and rechargeable battery by USB, 2000+ times per charge

Capacity: 1200ml, 0.8-1ml per spray

Operating temperature:3-40°C

Sensing distance : about 5cm

Packing:

Machine : 58x27x28cm, 1pc per gift box, 20 boxes per carton, 16kg per carton

Support Stand:

SS Round dish :

66*33*18CM 20pcs/ctn, 6.8KG

Cement bottom base :


31*31*20.5CM , 5pcs/ctn, 23.5KG

Tray back piece :

65.5*22.5*17CM 20pcs/ctn, 16.8kg

Rod: 81*24*24 20pcs/ctn, 16Kg

Weight per Stand: 6.8kg



Icare-U

Induction Sanitizer Dispenser

Automatic liquid induction
No need to press, no contact

Sensing distance
5cm, rapid liquid
discharge in 0.25
seconds



Can fix to the wall
Or to the support
Stand



Induction position for automatically sensing liquid

Automatically sense water



Four grooves can be used for hanging on the wall

Automatically sense water

Name: Induction sterilizer

Model: NO.8829

Capacity: 1200ml

Material: ABS+PC

color: White

Product size: 121x107x261mm

Installation method: mobile / wall-mounted

Applicable places: hospital / hotel / airport station / food factory / kindergarten / office, etc.

Icare-U Induction Sanitizer Dispenser



Material: ABS+PC
color: White

station / food factory / kindergarten / office,
etc.

Icare-U

Induction Sanitizer Dispenser

Contact-free

Against daily bacteria
Effectively protect family members



99.9%

High resistance rate

1200ml large capacity

Long use time, suitable for more than 3 people



Small size, free
installation



Splash proof



Environmental
protection material

Icare-U Induction Sanitizer Dispenser

Instructions for use

Automatically sense water



Turn the top groove to open the machine



Open the lid of the machine according to the arrow and remove the water bottle




Large capacity, water bottle can be filled with 1200ml



Hand reaches under the machine, and the liquid can be sensed



Move the side switch to ON to activate the machine



With USB charging cable, built-in 3.7V 1200





No. 1 Workshop, M-10, Middle section, Science & Technology Park,
Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053
Fax: +86 (0) 755 2671 0594
Email: ee.shenzhen@sgs.com

VERIFICATION OF EMC COMPLIANCE

Verification No.: SZEM2005003387ETV
Applicant: YANS ELECTRIC APPLIANCE FACTORY
Address of Applicant: CHENGHAI DISTRICT, SHANTOU CITY, GUANGDONG PROVINCE, CHINA
Product Description: Induction hydraulic machine
Model No.: 8800, 8801, 8802, 8803, 8804, 8805, 8806, 8807, 8808, 8809, 8810, 8811, 8812, 8813, 8814, 8815, 8816, 8817, 8818, 8819, 8820, 8821, 8822, 8823, 8824, 8825, 8826, 8827, 8828, 8829, 8830, 8831, 8832, 8833, 8834, 8835, 8836, 8837, 8838, 8839, 8840, 8841, 8842, 8843, 8844, 8845, 8846, 8847, 8848, 8849, 8850, 8851, 8852, 8853, 8854, 8855, 8856, 8857, 8858, 8859, 8860, 8861, 8862, 8863, 8864, 8865, 8866, 8867, 8868, 8869, 8870, 8871, 8872, 8873, 8874, 8875, 8876, 8878, 8879, 8880

Sufficient samples of the product have been tested and found to be in conformity with
Test Standards: EN 55014-1:2017
EN IEC 61000-3-2:2019
EN 61000-3-3:2013+A1:2019
EN 55014-2:2015

As shown in the
Test Report Number(s): SZEM200500338701

This verification of EMC Compliance has been granted to the applicant based on the results of the tests, performed by laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on the sample of the above-mentioned product in accordance with the provisions of the relevant specific standards under Directive 2014/30/EU. The CE mark as shown below can be used, under the responsibility of the manufacturer, after completion of an EU Declaration of Conformity and compliance with all relevant EU Directives.

Keny Xu
EMC Laboratory Manager



Date: 2020-05-11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch EMC Laboratory

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)